

软磁粉末产品 Soft Magnetic Powder

序号	牌号	化学成分 (wt%) Normal Composition								
No.	Alloy	Si	Al	Cr	Ni	C	O	S	P	Fe
01	FeSi	5.2-5.8	-	-	-	≤0.03	≤0.04 or ≤0.06	≤0.01	≤0.02	Bal
02	FeSi	6.2-6.8	-	-	-	≤0.03	≤0.04 or ≤0.06	≤0.01	≤0.02	Bal
03	FeSi	4.2-4.8	-	-	-	≤0.03	≤0.04 or ≤0.06	≤0.01	≤0.02	Bal
04	FeSi	3.2-3.8	-	-	-	≤0.03	≤0.04 or ≤0.06	≤0.01	≤0.02	Bal
05	FeSiNi	3.4-4.0	-	-	0.8-1.2	≤0.03	≤0.04 or ≤0.06	≤0.01	≤0.02	Bal
06	FeSiAl	8.8-9.8	5.0-6.0	-	-	≤0.03	≤0.04 or ≤0.06	≤0.01	≤0.02	Bal
07	FeSiCr	6.2-6.8	-	4.2-4.8	-	≤0.03	≤0.04 or ≤0.06	≤0.01	≤0.02	Bal
08	FeSiCr	3.4-4.0	-	4.2-4.8	-	≤0.03	≤0.04 or ≤0.06	≤0.01	≤0.02	Bal
09	FeNi	-	-	-	49-51	≤0.03	≤0.08	≤0.01	≤0.02	Bal
* 粉末成分及粒度可根据用户要求调整，亦可根据用户特定要求定制产品。 * Products can be customized according to user specific requirements.										